



Picture showing dome with handles only

MODEL 6509 INTEGRATED ELECTRONIC CONTROL HEAD

The compact design of this control head allows it to be fitted into small spaces. The upper portion is of a water tight construction and can, therefore, be installed anywhere on board ship. It is made entirely in bronze and stainless steel and is well adapted to the harsh marine environment.


The 6509 control head is also available in a single engine configuration. Non-illuminated side decals can be attached to the control head for fixed propulsion applications.

The membrane key pad has four standard switches and provides:

Station Select Station Lock Overriding Throttle Engine Synchronization


Trolling valve options are also available in place of either one of the above four switches. The membrane has back lit lenses that indicate which function is working.


MODEL 6509



All Dimensions in inches (mm)







		Part	
ltem	Qty	Number	Description
1	1	6509-0001	Dome
2	1	6509-0002	Lower Box
3	1	6509-0003	Cover
4	1	6509-0004	Cam (right)
5	1	6509-0006	Pot Bracket
6	4	6509-0007	Friction / Detent Plug
7	1	6541-0001	Head Board
8	1	6519-1001	Interface Board
9	2	6509-3264	Gear YP-3264 mod
10	2	.YPB-3232	Gear
11	2	2012-0007	Detent
12	2	2542-0008	Friction Plug
13	2	POT-5	Potentiometer, 5K
14	2	6509-0014	Handle
15	2	6001-0249	Connection Gland
16	2*	1201-0062	Spring
17	2	1002-1010	Hex Socket Hd Screw
18	2	1016-0804	Hex Socket Set Screw
19	2	1024-0816	Spring Pin
20	6	1010-0804	Round Hd Philips Screw
21	12	1012-0606	Pan Hd Philips Screw
22	1*	6509-0019	Switch Pad
23	1	6509-0005	Cam (left)
24	1*	6509-0018	Gasket

* Items not shown

